



福建元华泵业有限公司

FUJIAN YUANHUA PUMP INDUSTRY CO., LTD.

远销全世界八十多个国家及地区

Exported to over eighty countries and regions around the world



地址：福建省泉州市惠安县黄塘镇台商创业园区5号路

Address: NO. 5 Road, Taiwan Business Park, Huangtang Town,

Hui'an County Quanzhou, Fujian China

Tel: 86-595-87298199

Fax: 86-595-87298299

Website: www.chinayuanhua.com



专注微型水泵 28 年

Focus on micro water pumps for 28 years



公司概况 Company Introduction




福建元华泵业有限公司为香港上市公司元升国际集团（联交所上市代号：HK0925）于2010年在福建侨乡惠安台商创业园成立的独资子公司，主要致力于研发、生产和销售高效节能交流潜水泵，无刷直流潜水泵等，产品广泛应用于健康按摩器材、工艺喷泉、庭园景观、花园灌溉、汽车、饮水机、水冷风扇、全自动咖啡机、果汁机、移动空调、商用空调、洗衣机、洗碗机、足浴盆、移动洗澡机等家用电器产品。产品远销欧美十几个国家和地区，与国内很多品牌均有合作，涉及近二十个行业。

公司于2016年荣获“国家高新技术企业”称号，拥有UL、CUL、CB、CE、CCC、UKCA、SAA、ETL、CETL、PSE、ROHS证书等全球认证，申请并获得多项发明专利及百余项实用新型专利。

Fujian Yuanhua Pump Industry Co., Ltd. is a wholly-owned subsidiary of Hong Kong listed company Peaktop Group (Stock Code: HK0925), established in 2010 in Hui'an Taiwan Business Park of Quanzhou City. It is mainly engaged in research and development, production and sales of high-efficiency energy-saving AC submersible pump, and brushless DC submersible pump. Products are widely used in health massage equipment, craft fountains, garden landscapes, garden irrigation, cars, water dispensers, cooling fans, fully automatic coffee machines, juice machines, portable air conditioners, commercial air conditioning, washing machines, dishwashers, foot tubs, portable bath machines and so on. We export to more than ten countries and regions, mostly in Europe and America, and cooperate with many domestic brands. In 2016, we won the title of "National High-tech Enterprise". We have global certifications such as UL, CUL, CB, CE, CCC, UKCA, SAA, ETL, CETL, PSE, ROHS. Furthermore, we applied for and obtained several invention patents, nearly 100 utility model patents.



认证证书 Certificate



Diaphragm Pump



MODEL	VOLTAGE	WORKING FLOW	WORKING CURRENT	PRESSURE	INLET PRESSURE
50G	DC 24V	0.55-0.85LPM	≤1A	70PSI	30PSI
400G	DC 24V	2.4-2.7LPM	≤2.4A	70PSI	30PSI
600G	DC 24V	2.75-3.05LPM	≤2.6A	70PSI	30PSI
800G	DC 24V	3.15-3.45LPM	≤2.8A	70PSI	30PSI

应用场景 Application scenarios



喷头系列 Shower head series



LED灯系列 Led Lamp series



UV-C 杀菌灯
UV Clarifiers

过滤桶
Pressure Filter

AC Pump Performance

PHOTO	MODEL	VOLT	Hz	WATT	H-CM	L/H	SIZE (mm)	
	YH(PT)-1020LV	12	50	2	40	180	L	42
		12	60	2	50	200	W	34
	YH(PT)-1020	120	60	4	50	200	H	31
		220-240	50	4	40	180		
	YH(PT)-300-70LV	12	50	2.5	50	250	L	51
		12	60	3.5	70	300	W	44
	YH(PT)-300-70	120	60	4.2	70	300	H	31
		220-240	50	5	50	250		
	YH(PT)-400MIX-LV	12	50	3	80	320	L	60
		12	60	4	100	360	W	45
	YH(PT)-400MIX	120	60	6	100	360	H	34
		220-240	50	6	80	320		
	YH(PT)-808MIX-LV	12	50	5	70	320	L	60
		12	60	5	70	320	W	40
	YH(PT)-808MIX	120	60	6	70	320	H	49
		220-240	50	6	70	320		
	YH(PT)-707MIX-LV	12	50	7	95	400	L	64
		12	60	7	100	400	W	44
	YH(PT)-707MIX	120	60	7	100	400	H	51
		220-240	50	7	95	400		
	YH(PT)-606LV	12	50	8	100	350	L	67
		12	60	10	125	450	W	51
	YH(PT)-606	120	60	10	125	450	H	54
		220-240	50	7.5	100	350		

应用场景 Application scenarios



AC Pump Performance

PHOTO	MODEL	VOLT	Hz	WATT	H-CM	L/H	SIZE (mm)	
	YH (PT) -560LV	12	50	10	120	600	L	70
		12	60	11	120	600	W	51
	YH (PT) -560	120	60	12	120	600	H	59
		220-240	50	12	120	600		
	YH (PT) -750LV	12	50	17	150	700	L	72
		12	60	13	150	720	W	52
	YH (PT) -750	120	60	12	150	720	H	66
		220-240	50	16	150	700		
	YH (PT) -1100-160LV	12	50	17	150	1000	L	93
		12	60	19	160	1100	W	49
	YH (PT) -1100-160	120	60	18	160	1100	H	69
		220-240	50	15	150	1000		
	YH-1000-190	120	60	20	190	800	L	97
	YH-1000-190	220-240	50	20	190	800	W	70
	YH (PT) -505MIX-LV	12	50	38	180	910	L	99
		12	60	35	190	910	W	58
	YH (PT) -505MIX	120	60	25	200	1000	H	76
		220-240	50	30	190	1000		

应用场景 Application scenarios



太阳能 Solar pump



Product name : 160LPH Solar pump with lithium battery

Item No : YH-DC180A

Include : 1) 3.2W solar panel
2) 160LPH/7.4V DC pump
3) Lithium battery 7.4V-2000mAH

Function : 1) ON/OFF
2) The pump will keep working until battery runs out

Feature: Water lift max: 1m
Water flow max: 160LPH

Size: 19.3*11.5*15.3CM

working hours: Fully charged and continuously working for about 5H



Product name : 250LPH Solar pump with lithium battery

Item No : YH-DC400


Include : 1) 6.5W solar panel
2) 250LPH/7.4V DC pump
3) Lithium battery 7.4V-2000mAH

Function : 1) ON/OFF
2) The pump will keep working until battery runs out

Feature: Water lift max: 1.2m
Water flow max: 250LPH

Size: 28*5*18CM

working hours: Fully charged and continuously working for about 6H



Product name : 160LPH Solar pump with lithium battery

Item No : YH-DC180A

Include : 1) 2.7W solar panel
2) 160LPH/7.4V DC pump
3) Lithium battery 7.4V-600mAH

Function : 1) ON/OFF
2) The pump will keep working until battery runs out

Feature: Water lift max: 1m
Water flow max: 160LPH

Size: 18*7.5CM

working hours: Fully charged and continuously working for about 3H

DC Pump Performance



YH-DC180A



YH-DC180B




YH-DC180C




YH-DC180D




YH-DC180E



YH-DC180F




YH-DC180G



YH-DC400

MODEL	VOLT	H-CM	L/H	SIZE (LxWxH mm)
YH-DC180A	3-12	25-180	80-200	40x39. 8x31
YH-DC180B	3-12	25-180	80-200	51. 5x47. 5x46. 7
YH-DC180C	3-12	25-180	80-200	43x30. 6x45. 1
YH-DC180D	3-12	25-180	80-200	53. 9x46x47
YH-DC180E	3-12	25-180	80-200	37. 5x35. 8x29. 7
YH-DC180F	3-12	25-180	80-200	41. 8x38x36
YH-DC180G	3-12	25-180	80-200	50x58. 4x46. 5
YH-DC400	5-12	60-220	180-450	64. 2x47. 2x50. 5

应用场景 Application scenarios




Pond pumps



YH-1500



YH-2000



YH-3000 (T)
YH-3600 (T)



YH-5000-350
YH-8000-450



YH-10000-500
YH-13000-500

MODEL	VOLT	Hz	WATT	H-CM	L/H	SIZE (LxWxH mm)
YH-1500	120	60	35	250	1500	100x68x87
	220-240	50	30	250	1500	100x68x87
YH-2000	120	60	35	250	2500	118x78x102
	220-240	50	30	250	2500	118x78x102
YH-3000	120	60	60	300	3000	139x95x119
YH-3000T	220-240	50	40	300	3000	139x95x119
YH-3600	120	60	70	350	3600	139x95x119
YH-3600T	220-240	50	60	350	3600	139x95x119
YH-5000-350	120	60	50	380	4500	247x110x126
YH-8000-450	120	60	70	400	5700	247x110x126
YH-10000-500	120	60	90	450	6000	264x140x146
YH-13000-500	120	60	120	550	6800	264x140x146
YH-8500	120	60	200	600	8500	238x125x148
YH-12000	120	60	300	650	12000	238x125x148
YH-15000	120	60	350	650	15000	285x149x175
YH-20000	120	60	450	750	20000	285x149x175
YH-25000	120	60	500	850	25000	285x149x175
YH-30000	120	60	600	800	30000	285x149x175
YH-35000	120	60	1100	1200	35000	363x222x212
YH-45000	120	60	1300	> 1200	45000	363x222x212
YH-55000	120	60	1500	> 1200	55000	363x222x212
YH-UV700H	120	60	75	340	2400	186x112x131
YH-UV700	120	60	75	340	2400	186x112x131
YH-UV700T	120	60	75	340	2400	186x112x131
YH-UV700C	120	60	75	340	2400	186x112x131
YH-UV1300H	120	60	175	500	4900	221x129x163
YH-UV1300	120	60	175	500	4900	221x129x163
YH-UV1300T	120	60	175	500	4900	221x129x163
YH-UV1300C	120	60	175	500	4900	221x129x163



YH-8200
YH-12000



YH-34200
YH-45000
YH-53000



YH-UV700 (H/T/C)




YH-UV1300 (H/T/C)







AC Pump Performance

PHOTO	MODEL	VOLT	Hz	WATT	H-CM	L/H	SIZE (mm)	
	YH-LV50T	120	60	4	45	160	L	55
		220-240	50				W	52
	YH-LV60H	120	60	5	55	320	L	70
	YH-LV60						W	51
	YH-LV60T	220-240	50				H	41
	YH-LV60C							
	YH-LV70T	120	60	5	70	300	L	59
		220-240	50				W	52
	YH-LV80H	120	60	6	70	390	L	70
	YH-LV80						W	51
	YH-LV80T	220-240	50				H	41
	YH-LV80C							
	YH-LV90T	120	60	6	90	350	L	63
		220-240	50				W	53
	YH-LV100H	120	60	8	100	460	L	79
	YH-LV100						W	57
	YH-LV100T	220-240	50				H	46
	YH-LV100C							

应用场景 Application scenarios



AC Pump Performance

PHOTO	MODEL	VOLT	Hz	WATT	H-CM	L/H	SIZE (mm)	
	YH-LV110T	120	60	7	110	550	L	71
		220-240	50				W	45
	YH-LV130H	120	60	10	120	500	L	79
	YH-LV130						W	57
	YH-LV130T	220-240	50				H	46
	YH-LV130C							
	YH-LV170H	120	60	12	140	600	L	79
	YH-LV170						W	57
	YH-LV170T	220-240	50				H	46
	YH-LV170C							
	YH-LV250H	120	60	20	190	780	L	89
	YH-LV250						W	74
	YH-LV250T	220-240	50				H	64
YH-LV250C								
	YH-LV320H	120	60	22	220	900	L	89
	YH-LV320						W	74
	YH-LV320T	220-240	50				H	64
	YH-LV320C							
	YH-LV400H	120	60	28	220	1350	L	104
	YH-LV400						W	82
	YH-LV400T	220-240	50				H	67
	YH-LV400C							
	YH-LV450H	120	60	30	250	1450	L	104
	YH-LV450						W	82
	YH-LV450T	220-240	50				H	67
	YH-LV450C							

应用场景 Application scenarios

